





Item	part no.	Description	Nederlands	English	Deutsch	Français
1	001020131	1/4PK AEZ 3430 Y	Compressor	Compressor	Kompressor	Compresseur
2	001010116	AMF T0181-22	Clixon	Clixon	Klixon	Protecteur
3	001050122	MTRP 43	Startrelais	Starter relay	Startrelais	Relais intensité
4	007030246	PAPST5656S 220 240V~50Hz 30W	Fanmotor	Fan motor	Lüfter	Moteur Ventilateur
5	002010182	Cu ϕ 8x0,75mm	Condensor	Condenser	Kondensator	Condenseur
6	002030181	470x250x50mm	Verdamper	Evaporator	Verdampfer	Evaporateur
7	008090323		starter	Light starter	Starter	Démarrreur
8	008090345		Lampvoetje	Light connector	Fassung	Douille
9	005050334	dixell L = 2,5 mtr.	Thermostaat Voeler	Thermostat Sensor	Thermostatfühler	Sonde du thermostat
10	007030229	DP200A 2123XBT 220 240V~50/60Hz 22W	Fanmotor	Fan motor	Lüfter	Moteur Ventilateur
11	007030107	120x120mm	Beschermrooster fan	Finger guard	Schutzrost	grille de protection
12	008040101		schakelaar aan/uit	on/off switch	an/aus Schalter	Interrupteur
13	008090344		lampvoetje	Light connector	Fassung	Douille
14	008090206	36W/33	TL lamp	Strip light	Leuchtstoffröhre	Tube Néon
15	008010451		Inbouw contra stekker	couplersocket	kupplungsdose	prise femelle
16	008090333	230V/50Hz 40W	Voorschakelapparaat	Light choke	Drossel	Starter
17	005050168	dixell XR02CX	Thermostaat	Thermostat	Thermostat	Thermostat
18	008040127		verlichtings schakelaar	Light switch	Lichtschalter	Lampe interrupteur
19	013050257	12900-01/FH102 excl. lip	Lipslot	Lock	Schloss	Serrure
20	013050264	h=38mm	Sluitlip	Cam	Riegel	Came
21	013060056	M8x15 / ϕ 30	Pootje	Leg	Füsse	Pied
22	006110510		Magneetraam	Magnetic gasket	Magnetdichtung	Joint magnétique
23	006050146		handgreep	Handle	Handgriff	Poignée
24	MX-BFR250GGR		MX-BFR250GGR	MX-BFR250GGR	MX-BFR250GGR	MX-BFR250GGR
25	000050513		MX-BFR250GG	MX-BFR250GG	MX-BFR250GG	MX-BFR250GG
26	013040040		Scharnierpen	hinge	Scharnier	Charnière
27	004010338		draadrooster	Wire tray	Roste	Grille
28	013010001		rekdrager	Shelf support clip	Rostträger	Taquet
29	013070031		klimrail	Shelf support rail	Schienen profil	échelle de réglage